Growing ideas through networks

Work Group 1: Prevention and treatment strategies for perinatal depression

CA 18138 Riseup-PPD

Ana Fonseca & Sandra Nakić Radoš





WG meeting - Agenda

09h30 - 10h00 am - WG presentation: updates [Ana Fonseca]

10h00 - 11h00 am - Subgroups meeting & work



1. WG structure & organization Updates



WG participants

- New participants joined to our WG during this 1st year...
- We are now:
 - 82 participants (with different levels of involvement in tasks)
 - With diverse backgrounds and expertise





WG structure

WG1: Prevention and treatment strategies for perinatal depression

Leader: Ana Fonseca (Portugal) | Co-Leader: Sandra Nakić Radoš (Croatia)

Subgroup 1: Definition and

diagnosis criteria for perinatal depression Leader: Mijke van

No. members: 18

den Berg

(Netherlands)

Subgroup 2: Prevention strategies and professional help-seeking Leader: Rena Bina (Israel)

No. members: 14

Subgroup 3: Intervention strategies for perinatal depression

Subgroup 3B:

Intervention

strategies -

Psychological

No. members:

15

Subgroup 3A: Intervention strategies -**Psychopharm** acological Leader: Angela Lupattelli

(Norway)

No. members:

Leader: Ma de la Fé Rodriguez (Spain)

No. members: 17

Subgroup 3C:

Intervention

strategies –

Non-invasive

neuromodulation

Leader: Ana

Ganho-Ávila

(Portugal)

Subgroup 4: Costeffectiveness and HTA Taskforce

Leader: Pedro Ferreira (Portugal)

No. members: 8

Subgroup 5:

Task-force on severe outcomes of perinatal depression: maternal suicide & infanticide

Leader: Alessandra Bramante (Italy)

No. members: 10



Proposed goals of the new Task-force

Taskforce on severe outcomes of perinatal depression: maternal suicide & infanticide

Leader: Alessandra Bramante (Italy)

Goal:

To synthesize current knowledge concerning identification and prevention of maternal suicide, neonaticide and infanticide (associated with PPD).

Specific goals:

- 1. To review the state-of-art concerning suicide in pregnancy, suicide in postpartum (0-1 year) and neonaticide;
- 2. To focus on clinical case studies to identify risk and protective factors of these complex and multifactorial phenomena;
- 3. To suggest guidelines for prevention and clinical assessment;



WG representatives on WG6

 We have two representatives on WG6 who will be responsible for making the interface between WG1 and WG6

Dissemination is a key dimension of our action!

Please attend to their requests and share relevant information with them (that you feel should be disseminated)

Eleni Vousoura – <u>eleni.vousoura@gmail.com</u> Maja Žutić – <u>majazutic@hotmail.com</u>



2. Current status of work



Deliverable 1: Consensus report

 Report addressing the definition and diagnosis criteria of PPD, current needs and future directions for prevention, management and treatment of Perinatal Depression Disorder (Consensus);

December, 2019

- Concluded and submitted to the *Journal of Affective Disorders* [IF: 4.084; Q1] (under review);
- Submitted for presentation at the 40th Biennial Meeting of the Marcé Society [October 2020, Iowa]



 Publication of systematic reviews/meta-analysis results in prevention and treatment strategies for Perinatal Depression Disorder; During the first 2 years of GP

- Work in progress to be continued in the 2nd year of the GP



Subgroup 1: Definition & Diagnosis criteria for PPD

Subgroup 2: Prevention strategies & professional help-seeking

Subgroup 3A: Intervention strategies - psychopharmacological

Subgroup 3B: Intervention strategies – psychological

Subgroup 3C: Intervention strategies – non-invasive modulation

Subgroup 4: Task-Force in cost- effectiveness & HTA

 Collection of available international guidelines on diagnosis and treatment of PPD is ongoing (currently information from 16 countries);

Systematic review on diagnosis of PPD

- Search criteria for a SR on diagnostic instruments have been defined according to PICAR procedure;
- 1st screening of abstracts start soon;



Subgroup 1: Definition & Diagnosis criteria for PPD

Subgroup 2: Prevention strategies & professional help-seeking

Subgroup 3A: Intervention strategies - psychopharmacological

Subgroup 3B: Intervention strategies – psychological

Subgroup 3C: Intervention strategies – non-invasive modulation

Subgroup 4: Task-Force in costeffectiveness & HTA

SR 1: Preventive interventions for PPD

- Decision on doing a systematic review of systematic reviews on preventive interventions for perinatal depression
- Definition of search protocol (keywords, databases to be searched, etc.)
- Prospero registration

SR2: Professional help-seeking barriers and facilitators

- Definition of search protocol (keywords, databases to be searched, etc.)
- Search was performed
- Screening of the papers that will be included in the review ongoing

SR3: Awareness of health professionals about PPD

- Definition of search protocol (keywords, databases to be searched, etc.)
- Search was performed
- 1st screening of papers based on abstract+title ongoing



Subgroup 1: Definition & Diagnosis criteria for PPD

Subgroup 2: Prevention strategies & professional help-seeking

Subgroup 3A: Intervention strategies - psychopharmacological

Subgroup 3B: Intervention strategies – psychological

Subgroup 3C: Intervention strategies – non-invasive modulation

Subgroup 4: Task-Force in costeffectiveness & HTA

- Collection of data on availability of national treatment guidelines (where available) in multiple European Countries (COST Members & Marcé Society) now starting to put down these data together (non-systematic synthesis);
- Report on quality indicators of psychotropic medication use in perinatal women:
 - Discuss if the latest meta-analysis published on the topic is suitable



Subgroup 1: Definition & Diagnosis criteria for PPD

Subgroup 2: Prevention strategies & professional help-seeking

Subgroup 3A: Intervention strategies - psychopharmacological

Subgroup 3B: Intervention strategies – psychological

Subgroup 3C: Intervention strategies – non-invasive modulation

Subgroup 4: Task-Force in costeffectiveness & HTA

- Systematic review of systematic reviews of effectiveness of psychological interventions to treat PPD
 - Definition of search protocol (keywords, databases to be searched, etc.)
 - Registration in PROSPERO is being performed;
 - Search is being performed;



Subgroup 1: Definition & Diagnosis criteria for PPD

Subgroup 2: Prevention strategies & professional help-seeking

Subgroup 3A: Intervention strategies - psychopharmacological

Subgroup 3B: Intervention strategies – psychological

Subgroup 3C: Intervention strategies – non-invasive modulation

Subgroup 4: Task-Force in costeffectiveness & HTA Systematic review in brain stimulation strategies for PPD

"Efficacy of brain stimulation in decreasing depression symptoms during the peripartum period: A systematic review"

- Current status: Reports extraction and data extraction completed (except ECT – ongoing);
- Authors were contacted to send further detailed information;
- Risk of bias analysis and qualitative analysis are ongoing;



Subgroup 1: Definition & Diagnosis criteria for PPD

Subgroup 2: Prevention strategies & professional help-seeking

Subgroup 3A: Intervention strategies - psychopharmacological

Subgroup 3B: Intervention strategies – psychological

Subgroup 3C: Intervention strategies – non-invasive modulation

Subgroup 4: Task-Force in cost- effectiveness & HTA

• Focus in the preparation of the Workshop in cost-effectiveness analysis in health

[2nd Main Meeting, Malta, March 2020]

Discuss the definition of the next steps within the subgroup meeting



2nd Year of the GP - plan



What about the next year?

We plan...

- To continue and conclude the ongoing systematic reviews -> Deliverable 2
- To organize two training schools:
 - Principles and practices of clinical trials [organization: Mijke van den Berg & Ana Ganho-Ávila]
 - Evidence-based practices in PPD [organization: Angela Lupattelli & Ma de la Fé Rodriguez]



Growing ideas through networks

Thank you for your attention!



